



Elevé™

LEGENDARY FLOORS

Loose Lay Resilient Flooring
Twenty-Two Colors

LAUGHTON • 06LGH



The space, *raised*.

— Designed with intention. Built to perform where it matters.

Elevé isn't about installation. *It's about spaces that keep working.*

el-uh-VAY · French, *elevated* · Twenty-two colors, two collections

Tenants change. Programs change. Your flooring should keep up.

Loose lay is the technology. Elevé is the philosophy. No permanent adhesive, no compromise — a floor engineered to be reconfigured, refreshed and re-tenanted without demolition.

Legendary Floors builds Elevé for the way commercial spaces actually work: waterproof, dimensionally stable, quiet underfoot and effortless to

maintain across office, hospitality, retail and multi-family environments.

Danbury — Sixteen curated colors to compliment any room.

Kessler — Six colors, aesthetically chosen to elevate any setting.

Four ideas hold the collection together.

01

Elevation

A floor that raises the space — architectural, warm and intentional by design.

02

Freedom

Freedom to reconfigure, refresh and re-tenant — without compromise or permanence.

03

Flexibility

Office. Hospitality. Retail. Multi-family. Healthcare. Education. One surface, every program.

04


Performance

Waterproof, durable, stable and quiet. Easy to maintain and built for the working day.

The Elevé Collection.

Sixteen Danbury colors, loose lay.
Six Kessler colors, full spread glue.
One warm-neutral palette across both.

DANBURY • STYLE 42600 • SIXTEEN COLORS • LOOSE LAY



Mansfield

09MSF



Laughton

06LGH




Coalfield

07CLF



Welton

11WLT



Hawkins

13HWK



Pearson

10PRS



Flynn

15FLY



Byron

16BYN




Whisper Rock

01WSP




Cave Creek

14CVC



Sugar Valley

12SGV




Cantrell

08CNT




Branford

05BRF




Grafton

04GRF



Darien

03DRL



Chesapeake

02CHP

KESSLER • STYLE 42500 • SIX COLORS • FULL SPREAD GLUE




Milton

01MTN



Alford

02AFD




MacLaine

03MCL




Dupree

04DUP



Cramer

05CRA



Willow

06WLW

Danbury



Mansfield

09MSF • DANBURY • LOOSE LAY

05

LOOSE LAY RESILIENT FLOORING
COLOR 01 / 16

Mansfield

COLOR
01 / 16

09MSF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Laughton

06LGH · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING

COLOR
02 / 16



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Laughton

06LGH • DANBURY • LOOSE LAY

08

LOOSE LAY RESILIENT FLOORING
COLOR 02 / 16



Coalfield

07CLF • DANBURY • LOOSE LAY

09

LOOSE LAY RESILIENT FLOORING
COLOR 03 / 16

Coalfield

COLOR
03 / 16

07CLF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Welton

COLOR
04 / 16

11WLT · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Welton

11WLT • DANBURY • LOOSE LAY

12

LOOSE LAY RESILIENT FLOORING
COLOR 04 / 16



Hawkins

13HWK • DANBURY • LOOSE LAY

13

LOOSE LAY RESILIENT FLOORING
COLOR 05 / 16

Hawkins

COLOR
05 / 16

13HWK · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Pearson

COLOR
06 / 16

10PRS · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Pearson

10PRS • DANBURY • LOOSE LAY

16

LOOSE LAY RESILIENT FLOORING
COLOR 06 / 16



Flynn

15FLY • DANBURY • LOOSE LAY

17

LOOSE LAY RESILIENT FLOORING
COLOR 07 / 16

Flynn

COLOR
07 / 16

15FLY · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Byron

COLOR
08 / 16

16BYN · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Byron

16BYN • DANBURY • LOOSE LAY

20

LOOSE LAY RESILIENT FLOORING
COLOR 08 / 16



Whisper Rock

01WSP • DANBURY • LOOSE LAY

21

LOOSE LAY RESILIENT FLOORING
COLOR 09 / 16

Whisper Rock

COLOR
09 / 16

01WSP · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Cave Creek

COLOR
10 / 16

14CVC · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Cave Creek

14CVC • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 10 / 16



Sugar Valley

12SGV • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 11 / 16

Sugar Valley

COLOR
11 / 16

12SGV · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Cantrell

COLOR
12 / 16

08CNT · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Cantrell

08CNT • DANBURY • LOOSE LAY

28

LOOSE LAY RESILIENT FLOORING
COLOR 12 / 16



Branford

05BRF • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 13 / 16

Branford

COLOR
13 / 16

05BRF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Grafton

COLOR
14 / 16

04GRF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Grafton

04GRF • DANBURY • LOOSE LAY

32

LOOSE LAY RESILIENT FLOORING
COLOR 14 / 16



Darien

03DRL • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 15 / 16

Darien

COLOR
15 / 16

03DRL · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING




SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Chesapeake

COLOR
16 / 16

02CHP · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Chesapeake

02CHP • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 16 / 16

Kessler



Milton

01MTN • KESSLER • FULL SPREAD

37

LOOSE LAY RESILIENT FLOORING
COLOR 01 / 06

Milton

COLOR
01 / 06

01MTN · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Alford

COLOR
02 / 06

02AFD · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Alford

02AFD • KESSLER • FULL SPREAD

40

LOOSE LAY RESILIENT FLOORING
COLOR 02 / 06



MacLaine

03MCL • KESSLER • FULL SPREAD

LOOSE LAY RESILIENT FLOORING
COLOR 03 / 06

MacLaine

COLOR
03 / 06

03MCL · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Dupree

COLOR
04 / 06

04DUP · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Dupree

04DUP • KESSLER • FULL SPREAD

LOOSE LAY RESILIENT FLOORING

COLOR 04 / 06



Cramer

05CRA • KESSLER • FULL SPREAD

45

LOOSE LAY RESILIENT FLOORING
COLOR 05 / 06

Cramer

COLOR
05 / 06

05CRA · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Willow

COLOR
06 / 06

06WLW · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Willow

06WLW • KESSLER • FULL SPREAD

48

LOOSE LAY RESILIENT FLOORING
COLOR 06 / 06

Danbury

Sixteen colors · Loose lay resilient flooring.

Plank Dimensions	9" × 60"	Residential Warranty	30 year LTD.
Overall Thickness	5 mm	Commercial Warranty	15 year LTD.
Wear Layer	22 mil	Certifications	Greenguard Certified
Finish	UV Cured Urethane	Packaging	15.58 sf ctn · 996.86 sf pallet
Edge Profile	Micro-Bevel · Embossed	Installation	Loose Lay/ Perimeter/ Full Spread Glue

THE DANBURY PALETTE • 16 COLORS

							
MANSFIELD	LAUGHTON	COALFIELD	WELTON	HAWKINS	PEARSON	FLYNN	BYRON
							
WHISPER ROCK	CAVE CREEK	SUGAR VALLEY	CANTRELL	BRANFORD	GRAFTON	DARIEN	CHESAPEAKE

Kessler

Six colors · Full spread glue resilient flooring.

Plank Dimensions	9" × 60"	Residential Warranty	30 year LTD.
Overall Thickness	5 mm	Commercial Warranty	15 year LTD.
Wear Layer	22 mil	Certifications	Greenguard Certified
Finish	UV Cured Urethane	Packaging	15.58 sf ctn · 996.86 sf pallet
Edge Profile	Micro-Bevel · Embossed	Installation	Full Spread Glue

THE KESSLER PALETTE · 6 COLORS



MILTON



ALFORD



MACLAINE



DUPREE



CRAMER



WILLOW

PERFORMANCE

Engineered for the Working Day

The technology behind Elevé — quiet, waterproof and built to perform through every shift, every season.



Commercial Durability

A 22-mil wear layer and a 15-year limited commercial warranty, rated for high-traffic use and heavy rolling loads.



Minimal Downtime

Loose Lay goes down quickly and efficiently.



Waterproof

Waterproof and dimensionally stable, even in high humidity — with DB5500 rated to 99% RH.



Acoustic Comfort

Quiet underfoot with strong IIC / STC performance — for multi-family, hospitality and open-plan office.



Plank-Level Repair

A damaged plank lifts out and a new one drops in. Refresh a suite or re-tenant a floor without demolition.



Low Maintenance

No wax, no stripping, no refinishing. Low VOC and Greenguard Certified.

DB5500

FIRM-SET PRESSURE SENSITIVE ADHESIVE • UPC 60101 GLUE4



The recommended companion to every Elevé installation — a firm-set, modified transitional pressure sensitive adhesive engineered for resilient flooring.

PRODUCT BENEFITS

Aggressive tack, fast grab	12 hours of working time
High moisture tolerance	99% RH
High-strength, water-resistant bond	Simple installation
Repositionable installation	Elastomeric bond
Immediate access for light traffic	Plasticizer migration resistance
Handles heavy rolling loads	Low VOC, extremely low odor
Installs multiple flooring types	

COVERAGE

50–350 ft² / gal

AVAILABLE IN


4 gal • 48 per pallet

SHELF LIFE

2 years

Installation method


01 Brick



A clean half-plank offset on every row. The most forgiving layout to set — well suited to corridors, entries and narrow rooms.

OFFSET 50%


02 Ashlar



Ends alternate between two fixed positions, column to column. Structured and rhythmic — the most architectural of the four without added labor.

TWO-POINT OFFSET


03 Stagger



End joints fall at random, never closer than 6" apart. The best method for blending shade variation across cartons and dye lots.

RANDOM OFFSET • 6" MINIMUM

04 Herringbone



Planks set at 90° in repeating L-pairs off a center line. The most decorative option — dry-lay the field first and plan for added waste.

90° L-PAIRS

Care and maintenance

DAILY

Sweep with a soft bristle broom or vacuum with the beater bar off to prevent scratches.

SPIILLS

Remove and blot promptly to eliminate moisture penetration to the subfloor.

WALK-OFF MATS

Non-rubber-backed mats at every exterior door — rubber backing can stain resilient flooring.

NEVER USE

Abrasive pads, wax, polish, oil soaps, or solvent- and bleach-based cleaners.

DAMP MOP

A lightly damp mop with a neutral-pH cleaner. Never wet-mop, flood or steam the floor.

FURNITURE

Wide felt pads under every leg. Fit soft casters on rolling chairs, or protect the run with a mat.

SUNLIGHT

Draw shades through peak hours. Prolonged direct UV will shift any resilient surface over time.

REPAIRS

Loose-lay construction lets a single plank be lifted and replaced.

Get the palette in hand.

TWENTY-TWO COLORS



01

Strap Set



02

Spinner Rack



03

Multicolor Board



04

Architect Folder

Please contact your Legendary Floors Territory Manager to order samples.

COLOR INDEX

The full palette, at a glance.

TWENTY-TWO COLORS
DANBURY & KESSLER

DANBURY • SIXTEEN COLORS



Mansfield
09MSF



Laughton
06LGH



Coalfield
07CLF



Welton
11WLT



Hawkins
13HWK



Pearson
10PRS



Flynn
15FLY




Byron
16BYN




Whisper
Rock
01WSP



Cave Creek
14CVC




Sugar Valley
12SGV




Cantrell
08CNT




Branford
05BRF



Grafton
04GRF




Darien
03DRL



Chesapeake
02CHP


KESSLER • SIX COLORS




Milton
01MTN




Alford
02AFD




MacLaine
03MCL



Dupree
04DUP



Cramer
05CRA



Willow
06WLW



See every color in a real room.

Scan for specifications and to view room scenes.



Considered materials curated spaces.

Elevé™
LEGENDARY FLOORS



COALFIELD · 07CLF



Scan to explore the full collection.



3036 Parquet Drive, Dalton, GA 30720 · 706-277-0195 · legendaryfloors.us