



Elevé™

LEGENDARY FLOORS

Loose Lay Resilient Flooring
Twenty-Two Colors

BYRON • 16BYN



The room, *raised*.

— A floor that looks chosen, not settled for.

THE ELEVÉ™ STORY

Elevé isn't about installation. *It's about effortless living.*

el-uh-VAY · French, *elevated* · Twenty-two colors, two collections

Life moves fast. Spaces evolve. Your flooring should evolve with it.

Loose lay is the technology. Elevé is the philosophy. No permanent adhesive, no compromise — just a floor engineered to be redesigned, renovated and reimaged without ceremony.

Legendary Floors builds Elevé for the way modern spaces actually live: waterproof, dimensionally stable, quiet underfoot and effortless to maintain across residential, commercial and hospitality environments.

Danbury — Sixteen curated colors to compliment any room.

Kessler — Six colors, aesthetically chosen to elevate any setting.

Four ideas hold the collection together.

01

Elevation

A floor that raises the room — architectural, warm and intentional by design.

02

Freedom

Freedom to redesign, renovate and evolve — without compromise or permanence.

03

Flexibility

Residential. Commercial. Hospitality. Retail. Office. Multi-family. One surface, every setting.

04

Performance

Waterproof, durable, stable and quiet. Easy to maintain and built for modern living.

The Elevé Collection.


Sixteen Danbury colors, loose lay.
Six Kessler colors, full spread glue.
One warm-neutral palette across both.

DANBURY • STYLE 42600 • SIXTEEN COLORS • LOOSE LAY




Whisper Rock

01WSP




Chesapeake

02CHP



Darien

03DRL



Grafton

04GRF



Branford

05BRF



Laughton

06LGH



Coalfield

07CLF



Cantrell

08CNT



Mansfield

09MSF




Pearson

10PRS



Welton

11WLT



Sugar Valley

12SGV



Hawkins

13HWK




Cave Creek

14CVC



Flynn

15FLY



Byron

16BYN

KESSLER • STYLE 42500 • SIX COLORS • FULL SPREAD GLUE




Milton

01MTN



Alford

02AFD




MacLaine

03MCL




Dupree

04DUP



Cramer

05CRA



Willow

06WLW



Danbury

Whisper Rock

01WSP • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 01 / 16

Whisper Rock

COLOR
01 / 16

01WSP · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING




SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Chesapeake

COLOR
02 / 16

02CHP · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Chesapeake

02CHP • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 02 / 16



Darien

03DRL • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 03 / 16

Darien

COLOR
03 / 16

03DRL · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Grafton

COLOR
04 / 16

04GRF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Grafton

04GRF • DANBURY • LOOSE LAY

12

LOOSE LAY RESILIENT FLOORING
COLOR 04 / 16



Branford

05BRF • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 05 / 16

Branford

COLOR
05 / 16

05BRF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Laughton

COLOR
06 / 16

06LGH · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Laughton

06LGH • DANBURY • LOOSE LAY

16

LOOSE LAY RESILIENT FLOORING
COLOR 06 / 16



Coalfield

07CLF • DANBURY • LOOSE LAY

17

LOOSE LAY RESILIENT FLOORING
COLOR 07 / 16

Coalfield

COLOR
07 / 16

07CLF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Cantrell

COLOR
08 / 16

08CNT · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Cantrell

08CNT • DANBURY • LOOSE LAY

20

LOOSE LAY RESILIENT FLOORING
COLOR 08 / 16



Mansfield

09MSF • DANBURY • LOOSE LAY

21

LOOSE LAY RESILIENT FLOORING
COLOR 09 / 16

Mansfield

COLOR
09 / 16

09MSF · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Pearson

COLOR
10 / 16

10PRS · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Pearson

10PRS • DANBURY • LOOSE LAY

24

LOOSE LAY RESILIENT FLOORING
COLOR 10 / 16



Welton

11WLT • DANBURY • LOOSE LAY

25

LOOSE LAY RESILIENT FLOORING
COLOR 11 / 16

Welton

COLOR
11 / 16

11WLT · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING




SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Sugar Valley

COLOR
12 / 16

12SGV · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Sugar Valley

12SGV • DANBURY • LOOSE LAY

28

LOOSE LAY RESILIENT FLOORING
COLOR 12 / 16



Hawkins

13HWK • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 13 / 16

Hawkins

COLOR
13 / 16

13HWK · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Cave Creek

COLOR
14 / 16

14CVC · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Cave Creek

14CVC • DANBURY • LOOSE LAY

LOOSE LAY RESILIENT FLOORING
COLOR 14 / 16



Flynn

15FLY • DANBURY • LOOSE LAY

33

LOOSE LAY RESILIENT FLOORING
COLOR 15 / 16

Flynn

COLOR
15 / 16

15FLY · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Byron

COLOR
16 / 16

16BYN · DANBURY · LOOSE LAY
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Loose Lay, Perimeter Glue or Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Byron

16BYN • DANBURY • LOOSE LAY

36

LOOSE LAY RESILIENT FLOORING
COLOR 16 / 16

Kessler



Milton

01MTN • KESSLER • FULL SPREAD

37

LOOSE LAY RESILIENT FLOORING
COLOR 01 / 06

Milton

COLOR
01 / 06

01MTN · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Alford

COLOR
02 / 06

02AFD · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" x 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Alford

02AFD • KESSLER • FULL SPREAD

40

LOOSE LAY RESILIENT FLOORING
COLOR 02 / 06



MacLaine

03MCL • KESSLER • FULL SPREAD

41

LOOSE LAY RESILIENT FLOORING
COLOR 03 / 06

MacLaine

COLOR
03 / 06

03MCL · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Dupree

COLOR
04 / 06

04DUP · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Dupree

04DUP • KESSLER • FULL SPREAD

LOOSE LAY RESILIENT FLOORING
COLOR 04 / 06



Cramer

05CRA • KESSLER • FULL SPREAD

LOOSE LAY RESILIENT FLOORING
COLOR 05 / 06

Cramer

COLOR
05 / 06

05CRA · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty

Willow

COLOR
06 / 06

06WLW · KESSLER · FULL SPREAD
LOOSE LAY RESILIENT FLOORING



SIZE 9" × 60" Nominal · 5 mm	WEAR LAYER 22 mil	EDGE & SURFACE Micro-Bevel · Embossed
CARTON 15.58 sf per carton	PALLET 996.86 sf per pallet	CERTIFICATION Greenguard Certified
INSTALLATION Full Spread Glue		WARRANTY 30 year LTD. Residential Warranty 15 year LTD. Commercial Warranty



Willow

06WLW • KESSLER • FULL SPREAD

LOOSE LAY RESILIENT FLOORING
COLOR 06 / 06

Danbury

Sixteen colors · Loose lay resilient flooring.

Plank Dimensions **9" × 60"**

Overall Thickness **5 mm**

Wear Layer **22 mil**

Finish **UV Cured Urethane**

Edge Profile **Micro-Bevel · Embossed**

Residential Warranty **30 year LTD.**

Commercial Warranty **15 year LTD.**

Certifications **Greenguard Certified**


Packaging **15.58 sf ctn · 996.86 sf pallet**

Installation **Loose Lay/ Perimeter/ Full Spread Glue**


THE DANBURY PALETTE • 16 COLORS



WHISPER ROCK



CHESAPEAKE



DARIEN



GRAFTON




BRANFORD



LAUGHTON



COALFIELD



CANTRELL



MANSFIELD



PEARSON



WELTON



SUGAR VALLEY



HAWKINS



CAVE CREEK



FLYNN



BYRON

Kessler

Six colors • Full spread glue resilient flooring.

Plank Dimensions	9" x 60"	Residential Warranty	30 year LTD.
Overall Thickness	5 mm	Commercial Warranty	15 year LTD.
Wear Layer	22 mil	Certifications	Greenguard Certified
Finish	UV Cured Urethane	Packaging	15.58 sf ctn • 996.86 sf pallet
Edge Profile	Micro-Bevel • Embossed	Installation	Full Spread Glue

THE KESSLER PALETTE • 6 COLORS



MILTON

ALFORD

MACLAINE

DUPREE

CRAMER

WILLOW

PERFORMANCE

Engineered for Effortless Living

The technology behind Elevé — quiet, waterproof and built to perform, day after day.



Waterproof

Engineered for Lasting Stability- even in High Humidity.



Loose Lay Install

Loose lay, perimeter glue or full spread glue — one plank, three methods.



Commercial Durability

A 22-mil wear layer rated for commercial and high-traffic use.



Acoustic Comfort

Quiet underfoot with strong IIC / STC acoustic performance.



Easy Replacement

Individual planks lift and replace — redesign without demolition.



Low Maintenance

Simple cleaning, no wax, no refinishing — sustainable everyday performance.

DB5500

FIRM-SET PRESSURE SENSITIVE ADHESIVE • UPC 60101 GLUE4



The recommended companion to every Elevé installation — a firm-set, modified transitional pressure sensitive adhesive engineered for resilient flooring.

PRODUCT BENEFITS

Aggressive tack, fast grab	12 hours of working time
High moisture tolerance	99% RH
High-strength, water-resistant bond	Simple installation
Repositionable installation	Elastomeric bond
Immediate access for light traffic	Plasticizer migration resistance
Handles heavy rolling loads	Low VOC, extremely low odor
Installs multiple flooring types	

COVERAGE

50–350 ft² / gal

AVAILABLE IN


4 gal • 48 per pallet

SHELF LIFE

2 years

Installation method


01 Brick



A clean half-plank offset on every row. The most forgiving layout to set — well suited to corridors, entries and narrow rooms.

OFFSET 50%


02 Ashlar



Ends alternate between two fixed positions, column to column. Structured and rhythmic — the most architectural of the four without added labor.

TWO-POINT OFFSET


03 Stagger



End joints fall at random, never closer than 6" apart. The best method for blending shade variation across cartons and dye lots.

RANDOM OFFSET • 6" MINIMUM

04 Herringbone



Planks set at 90° in repeating L-pairs off a center line. The most decorative option — dry-lay the field first and plan for added waste.

90° L-PAIRS

Care and maintenance

DAILY

Sweep with a soft bristle broom or vacuum with the beater bar off to prevent scratches.

SPIILLS

Remove and blot promptly to eliminate moisture penetration to the subfloor.

ENTRY MATS

Non-rubber-backed mats at every exterior door — rubber backing can stain resilient flooring.

NEVER USE

Abrasive pads, wax, polish, oil soaps, or solvent- and bleach-based cleaners.

DAMP MOP

A lightly damp mop with a neutral-pH cleaner. Never wet-mop, flood or steam the floor.

FURNITURE

Wide felt pads under every leg. Replace hard casters with soft ones, or protect the run with a mat.

SUNLIGHT

Draw shades through peak hours. Prolonged direct UV will shift any resilient surface over time.

REPAIRS

Loose-lay construction lets a single plank be lifted and replaced.

Get the palette in hand.

TWENTY-TWO COLORS



01

Strap Set



02

Spinner Rack



03

Multicolor Board



04

Architect Folder


Please contact your Legendary Floors Territory Manager to order samples.

COLOR INDEX


The full palette, at a glance.

TWENTY-TWO COLORS
DANBURY & KESSLER


DANBURY • SIXTEEN COLORS




Whisper
Rock
01WSP




Chesapeake
02CHP



Darrien
03DRL




Grafton
04GRF




Branford
05BRF




Laughton
06LGH




Coalfield
07CLF




Cantrell
08CNT




Mansfield
09MSF




Pearson
10PRS



Welton
11WLT




Sugar Valley
12SGV



Hawkins
13HWK



Cave Creek
14CVC




Flynn
15FLY



Byron
16BYN


KESSLER • SIX COLORS




Milton
01MTN




Alford
02AFD




MacLaine
03MCL




Dupree
04DUP



Cramer
05CRA



Willow
06WLW



See every color in a real room.

Scan for specifications and to view room scenes.



Warmth that outlasts trend.

*Elevé*TM
LEGENDARY FLOORS





Scan to explore the full collection.



3036 Parquet Drive, Dalton, GA 30720 · 706-277-0195 · legendaryfloors.us